# DH-HAC-HF3220E

## 2.4Megapixel 1080P HDCVI Box Camera




## Features

- 1/2.8" 2.4Megapixel CMOS
- 25/30fps@1080P, 25/30/50/60fps@720P
- High speed, long distance real-time transmission
- HD and standard definition switchable
- OSD Menu, control over coaxial cable
- DWDR, Day/Night(ICR), AWB, AGC, BLC, 3D-DNR, Auto Iris
- AC24V/DC12V


# DH-HAC-HF3220E


## Technical Specifications

| Model | DH-HAC-HF3220EP | DH-HAC-HF3220EN |
|---|---|---|
| **Camera** | | |
| Image Sensor | 1/2.8" 2.4Megapixel CMOS | |
| Effective Pixels | 1984(H)×1225(V) | |
| Electronic Shutter | 1/3s~1/100,000s | |
| Video Frame Rate | 25/30/50/60fps@720P; 25/30fps@1080P | |
| Synchronization | Internal | |
| Mini. Illumination | 0.05Lux@F1.2(AGC ON) | |
| Video Output | 1-channel BNC HDCVI high definition video output / CVBS standard definition video output (Can switch)<br>Tester out (1-channel BNC HDCVI high definition video output / CVBS standard definition video output) | |
| **Camera Features** | | |
| Day/Night | Auto(ICR) / Color / B/W | |
| Noise Reduction | 2D/3D | |
| OSD Menu | Support | |
| **Lens** | | |
| Lens Type | Manual/Auto Iris | |
| Mount Type | C/CS | |
| **Auxiliary Interface** | | |
| RS485 | 1 | |
| Alarm | 1 channel in/out | |
| Audio | 1 channel in | |
| **General** | | |
| Power Supply | AC24V±10% / DC12V±10% | |
| Power Consumption | Max 6W | |
| Working Environment | -30°C~+60°C / Less than 95%RH (no condensation) | |
| Transmission Distance | Over 500m via 75-3 coaxial cable | |
| Dimensions(W×D×H) | 126mm×74.1mm×65.5mm | |
| Weight | 0.65kg | |
| Material | Metal | |

# DH-HAC-HF3220E

## Dimensions (mm)




## Accessories (optional)

| | | | |
|---|---|---|---|
|  |  |  |  |
| PFB110W | PFA122 | PFA152 | PFH610N |

**Dahua Technology Co., Ltd.**
1199 BinAn Road, Binjiang District, Hangzhou, China
Tel: +86-571-87688883
Fax: +86-571-87688815
Email:overseas@dahuatech.com
www.dahuatech.com

*Design and specifications are subject to change without notice.

© 2014 Dahua Technology Co., Ltd.